

1539C 16:9 PCAP

Open Frame Touchscreen



Features

- + Metal shell, open frame design
- + Flat and zero bezel appearance
- + Commercial grade LCD, LED backlight
- + Widescreen full viewing Angle
- + Resolution 1920X1080FHD@60Hz
- + Supports vertical and horizontal
- + 10 point projection capacitive touchscreen
- + Cover plate anti riot and anti fingerprint
- + Video interface: HDMI+VGA
- + Multiple assembly holes on the side and back
- + Support OS: Windows/Android/Linux
- + 2-year warranty








Optional:

- No Touch
- Private Filter
- AG Coating
- Touch interface:RS232
- Video interface: Display Port



TDS1539C Open-Frame Touchscreen Specifications	
Model	1539C
Color	Black/Silver
Diagonal	15.6''
Aspect Ratio	16:9
Native Resolution	1920X1080FHD@60Hz
Active Area	344.16X193.59(mm)
Dimensions	397X244.2X43.2(mm)
Resolution	1920X1080FHD@60Hz
Viewing Angle	Horizontal: 85°/85° Vertical: 85°/85°
Number of Colors	262K
Brightness	LCD Panel: 300nits; PCAP Touch: 275 nits
Contrast Ratio	1000:1
Response Time	30ms
Touch Technology	PCAP (Projected Capacitive) - 10 Touch
Input method	Finger, Capacitance pen(Standard) Latex gloves touch (pre commissioning required)
Transmittance	≥90%
Surface hardness	7H (Mohs)
Touch Interface	USB 2.0 (Standard)
Video Interface	HDMI+VGA
Input Voltage	AC: 100-240 VAC,50/60 Hz
Sealability	Touchscreen sealed to bezel
Drop test	200 g steel ball falls from 0.8 m without breaking
Weight (Unpackage)	2.7KG
Shipping Dimensions	520X340X135(mm)
Operating Temperature	0°C-40°C
Storage Temperature	-20°C-60°C
Humidity	Operating: 20%-70%;Storage: 10%-80%
Mounting Options	VESA Hole on the back: 75X75 (mm) Four sides has a set of fixing holes: 2&55mm
MTBF	30,000 Hours
Power Supply	DC:12V3A
Warranty	2-Year
Agency Approvals	FCC; CE; ROHS
Support OS	Windows/Android/Linux
What's in the Box	1*USB cable,1*HDMI cable,1*DC cable,(Standard) L'' (Side Mount) Brackets and w/Screws(Options)

TDS1539C-PCAP



Dimensions are in millimeter

